



MILL/J.D.	Drg. No.	R1	R2	R3	R4	W	O	H	h	C	L	I1	f	K	Wt. Kg.
7"/90	SE-45	45	52	70	20	50	15	52	15	20	115	90	15	7	0.5
7"/100	SE-50	50	72.5	87	30	50	-10	45	23	25	128	90	15	8	0.5
7"/100	SE-100G	50	67.5	85	25	60	3.5	60	19	22	125	90	20	12	0.8
7"/100	SE-100G1	"	"	"	"	"	"	"	"	"	140	"	"	"	1
7"/110	SE-55A	55	"	"	"	"	"	"	"	"	125	"	"	"	0.8
7"/110	SE-620A	55	71	100	30	75	6	58.5	24	25	130	90	15	16	0.9
7"/110	SE-795	60	67.5	85	20	50	10	57	23	25	139	90	25	8	0.7
8"/115	SE-730A	57.5	73	93	25	60	6	65	20	20	140	105	25	8	0.9
8"/125	SE-730	62.5	"	"	"	"	15	"	25	"	"	"	"	"	0.9
8"/127	SE-730L	63.5	75	"	"	"	"	"	"	"	165	"	"	"	1
8"/120	SE-60	60	73	95	25	45	5	65	21	25	145	100	30	10	1
8"/125	62.5	62.5	75	102	30	75	3	55	25	23	135	103	16	10	0.7
8"/125	SE-430	62.5	80	102	30	50/60/80	5	67	23	22	120	100	16	10	0.9
9"/140	SE-430A	70	80	102	25	"	10	67	32	22	120	100	16	10	0.9
8"/125	430	62.5	80	102	25	"	7	67	23	22	150	120	15	12	1.1
8"/130	SE-220C	65	"	"	"	50/60/80	"	"	27	"	"	"	"	"	1.1
8"/120	SE-120G	60	90	115	30	70	-3	65	20	34	140	105	10	11	1.2
9"/125	SE-125	62.5	90	115	30	80	5	82	20	30	145	105	10	11	1.25
9"/130	SE-130S	65	90	115	30	70	5	65	30	30	140	105	10	11	1.3
9"/130	SE-130	65	90	115	30	80	5	82	20	30	145	105	10	11	1.3
9"/135	SE-135	67.5	90	115	30	80	5	82	21	30	145	105	10	11	1.3
9"/140	SE-140	70	90	115	30	80	5	82	21	30	145	105	10	11	1.3
9"/140	SE-220A	70	80	102	25	50/60/80	7	71	22	22	150	120	15	10	1.1
9"/140	SE-430	70	80	102	25	80	10								
9"/140	205	70	80	102	25	70	7	71	22	22	150	120	15	18	1.1

ALSO, WE CAN MANUFACTURE **FIBRE BEARINGS** AS PER YOUR DRAWING AND DIMENSIONS.

MILL/J.D.	Drg. No.	R1	R2	R3	R4	W	O	H	h	C	L	I1	f	K	Wt. Kg.
9"/140	SE-140G	70	83	102	25	80	7	71	22	22	180	145	25	10	1.4
9"/140	SE-70	70	83	111	30	75	2	60	30	22	140	125	15	14	0.9
9"/145	SE-145	72.5	90	115	30	80	5	82	20	25	130	105	10	9	1.3
10"/150	SE-220S	75	80	102	25	50/60/80	7	71	22	22	150	120	15	12	1.2
9"/140	205	70	80	102	25	70	7	71	22	22	150	120	15	18	1.1
9"/140	SE-140G	70	83	102	25	80	7	71	22	22	180	145	25	10	1.4
9"/140	SE-70	70	83	111	30	75	2	60	30	22	140	125	15	14	0.9
9"/145	SE-145	72.5	90	115	30	80	5	82	20	25	130	105	10	9	1.25
10"/150	SE-150G	75	90	120	30	70&80	7.5	76	26	27	163	115	23	12.5	1.5
10"/150	SE-500A	75	90	115	30	75&80	7.5	76	21	28	145	100	20	12	1.3
10/150	SE-500A	75	90	115	30	80	12	77	29	30	145	100	20	12	1.45
10"/150	500A/P220	"	"	"	"	70	7.5	"	"	"	"	"	"	"	1.3
10"/150	SE-70A	75	83	111	30	75	2	60	30	20	140	110	10	14	0.9
10"/150	SE-75U	75	95	115	25	60	6	71	30	22	140	110	10	10	1.4
10"/160	SE-140	80	"	"	30	"	11	77	35	25	135	120	20	11	1.25
"	SE-140L	"	"	"	"	"	"	"	"	"	165	"	"	"	1.4
"	SE-140P	"	100	"	"	"	"	"	"	"	150	"	"	"	1.3
"	SE-101A	80	90	115	40	80	12	75	30	25	145	110	15	12	1.25
"	SE-101	"	"	"	30	"	10	"	"	"	133	"	"	"	"
"	SE-101L	"	"	"	"	"	"	"	"	"	150	"	"	"	1.3
"	SE-101M	"	"	"	"	"	"	"	"	"	170	120	50	12	1.4
"	SE - 80	80	95	115	30	80	5	78	30	25	180			15	1.47
"	SE-645A	80	95	115	30	80	6	71	30	25	140	125	10	9	1.3
"	SE-170A	75	110	135	30	80	0	94	25	30	160	150	20	16	2.5
"	SE-165	82.5	90	115	30	80					165			12	
12"/170	SE-170	85	110	135	30	80	0	94	25	30	160	150	20	16	2
"	SE-170M	"	"	"	25	"	0	72	38	"	155	130	22	16	1.7
"	SE-170B	85	105	125	40	80	5	94	18	26	180	145	15	10	1.92
"	SE-170C	85	105			50	0	81	28	45	145	130	15	7	2
12"/180	SE-90/P520	90	108	135	30	80	6.5	94	29	30	160	118	27	15&7	1.9
"	SE - 90F	90	105	135	30	80	7	85	27	30	150	130	15	8	1.67
"	SE-T90	90	110	135	30	80	0	94	25	32	173	150	20	16	2
"	SE-T90	90	100	135	30	90	16	88	27	32	173	160	20	10	1.8
12"/182	SE-T91	91	110	135	30	80	0	94	25	32	173/225		20	16	2.35
12"/182	SE-T91	91	100	135	30	90	16	88	27	32	173	160	20	10	1.9
12"/180	SE-CSL	90	120	145	30	90		107	25	30	177	160	10	11	3.1
14"/190	SE-190	95	"	"	35	"	2	104	22	35	165	145	15	10	2.5
"	SE-190L	"	"	"	"	"	"	"	"	"	200	"	"	"	2.9
"	SE-520	95	115	135	30	84	0	90	35	30	160	150	10	15	2.5
14"/195	SE-195	97.5	120	145	30	90	4	100	31	25	170	131	20	15	2.4
14"/200	SE-100B	100	"	"	"	"	8	106	30	35	160	145	15	11	2.5
"	SE-100A	"	"	"	35	"	8	"	"	"	200	"	"	"	2.7
"	SE-100B1	"	"	"	30	"	8	"	"	"	"	"	"	"	2.7
"	SE-100B2	"	"	"	"	"	"	"	"	"	235	"	"	"	3.2
14"/210	SE-105K	105	"	"	35	"	12	106	30	"	200	"	"	"	2.6
"	SE-115B	105	120	145	35	90&85	13	103	30	30	177	155	15	12	2.2
"	SE-215/P215	"	125	150	30	95	5	95	44	30	190	160	30	15	2.45
"	SE-215.1	"	130	"	"	"	"	98	30	"	"	"	"	"	2.45

MILL/J.D.	Drg. No.	R1	R2	R3	R4	W	O	H	h	C	L	l1	f	K	Wt. Kg.
16"/210	SE-115J	105	135	160	35	90	7	106	40	40	200	160	30	10	4.15
"	105	"	"	"	"	85	"	"	"	"	"	"	"	"	4.2
16"/220	105-S	110	"	"	"	90	"	"	"	"	"	"	"	"	3.3
16"/220	110f(980A)	"	"	"	"	80	4	110	32	"	"	"	"	"	3.05
"	SE-220k	110	120	145	35	90	13	106	29	30	180	160	20	10	1.9
LIGHT	SE-220K1	"	"	"	40	"	18	108	31	35	230	145	50	11	2.5
HEAVY	SE-220k1	"	"	"	"	"	21	112	33	35	230	145	50	11	3.1
"	SE-980A	110	135	160	35	110	10	112	40	40	200	165	30	22	3.4
"	SE-980B	"	"	"	"	"	11	"	"	"	"	"	"	"	3.9
16"/220	SE-110	"	"	165	"	100	12	122	28	35	280			12	5
16"/230	SE-115	115	135	165	35	100	7	98	50	40	220	200	10	15	3
"	SE-P255	115	135	160	30	90	10	112	25	30	200	155	25	15	3.3
"	SE-230	"	"	"	50	"	"	"	40	40	200	165	30	11	3.3
16"/230	SE-230/980	115	135	160	50	108	7	110	40	40	200	165	30	18	3.3
"	SE-230/KL	"	"	"	"	110	"	112	"	"	"	"	"	22	3.45
"	SE-230/115k	115	"	"	"	112	"	115	"	"	"	"	"	"	3.5
"	15438	115	135	170	35	109	12	118	34	35	220	170	45	18	4.25
16"/230	SE - 16	115	135	170	30	109	7	108	41	35	200	176	24	18	3.66
"	SE-230S	115	160	200	55	75	0	120	50	55	230	160	50	12	5.7
16"/235	505	117.5	135	155	35	90	0	110	25	33	250	230	15	10	3.4
16"/240	SE-240	120	135	160	55	110	10	115	40	40	200	165	30	22	2.9
"	SE-120J	120	140	165	45	90	5	135	25	40	215	150	10	22	3.7
"	SE-240A	120	147.5	185	35	120	0	118	36	30	230	190	20	16	4.2
16"/240	SE-240G	120	143	172	43	100	9	117	43	42	200			17	
18"/242	SE-242G	121	142	167	30	NA	0	70	72	25	190	155	25		2
18"/250	919	125	147.5	185	50	65	6	119	40	30	200	175	50	20	3.8
"	"	"	"	"	50	120	8	116	43	30	230	155	60	16	4.2
18"/250	SE - 125	125	160	185	45	100	0	105	60	45	245	180	20	10	5
18"/260	SE-919U	130	148	185	50	120	10	116	45	30	230	170	25	16	3.8
*18"/255	SE - 127.5	127.5	157.5	200	45	120	0	128	36	46	210	160	35	19	5
18"/260	SE-130A	130	147,5		40	100	7	110	52	55	235	210	20	18	5
18"/260	919-U/BB	130	150	185	66	65	10	124	40	40	230	175	50	12	4.2
"	SE-717	"	"	200	36	100	8	110	56	"	212			16	3.9
"	SE-260	130	160	200	55	75	0	120	50	55	230	160	50	12	5.4
18"/266	GM001	133	153	183	25	80	0	103	50	50	240	240	0	10	3.8
*18"/270	SE-135	135	160	200	40	120	12	133	30	50	210	160	35	18	5
18"/262	SE - 75H	131	160	200	65	120	0	132	32	30	220			18	4.2
18"/272	SE-75A	140	160	200	65	120	9	132	40	30	220			18	4.2
18"/280	SE-295	140	160	200	50	75	6	117	59	55	255	210	30	12	5.2
18"/280	SE-295A	140	160	200	50	75	10	120	60	50	230	190	30	12	4.6
20"/280	SE-140D	140	160	200	55	75	0	130	38	55	232	190	25	9.5	4.5
20"/260	SE-260G	130	175	200	40	110	8	143	40	40	200	140	30	10	7
20"/290	SE-786	145	160	200	45	75	15	120	66	50	255	215	30	14	5.4
20"/300	SE-786B	152.5	160	200	60	75	24	120	76	45	255	170	30	14	5
22"/320	SE-160A	160	185	220	45	110	10	161	45	52	235	205	25	18	7
"	"	"	"	"	"	"	"	154	"	"	"	"	"	11	7
22"/325	SE-162.5	162.5	210	232	60	120	0	152	63	60	290	235	25	13	9
22"/325	SE-162.5G	162.5	202.5	245	35	120	0	134	75	40	240	200	20	16	7.7
22"/330	SE-165	165	185	220	45	110	25	161	60	52	235	205	25	18	7.35
24"/360	SE-177A	180	210	232	60	120	7	152	70	60	290			13	8.15
24"/376	SE-2HI/099/09	188	213	249	30	26	0			20	305			6	5.6
28"/400	SE-3416	200	230	315	75	160	10	190	60	50	300	210	30	24	12.6
32"/460	SE	230	265			119		164	110		400	400		16	10.3